

SPORT & ACTIVE WELLNESS



Sport & Active Wellness Ground Floor Accessibility Map



Sport & Active Wellness Ground Floor Accessibility Details

Lift	Description	Door width (mm)	Internal Size (mm) (W x L x H)		
8098	Single Door, 8 person capacity (630kg)	900	1,300	1,000	2,100
Corridor	Description				
Main Circulation	A corridor width of minimum 2,100mm is sufficient for accessibility requirements. This width would allow plenty of room for wheelchair users, people with other mobility aids, and caregivers to pass through comfortably. It also provides ample space for two people to walk side by side, which can be beneficial in busy or high-traffic areas.				



Sport & Active Wellness Ground Floor Accessibility Details

Door	Location	Description	Clearance space (mmW)
D1	Entrance	Automatic door with push button	1,850
D2	Second Entrance	Automatic door with push button	1,850
D3	Corridor	Single Swing Door with access control	900
D4	Corridor	Double Swing Door with access control	1,600
D5	To Female Changing room	Single Swing Door	900
D6	To Male Changing room	Single Swing Door	900
D7	To Main Sport Hall	Double Swing Door	1,800
D8	To Climbing centre/ Court	Single Swing Door	900
D9	Corridor	Single Swing Door	900
D10	To Shower room	Single Swing Door	800
D11	To Shower room	Single Swing Door	800




Sport & Active Wellness Ground Floor Accessibility Details

Toilets	Description	Door width (mm)	Notes	Facilities (mm)
	Male Toilet. Manual door	800mm	Toilet seat height 400 from floor	5 x Cubicles 895 x1445 1 x accessible cubicle 970 x1460 Sanitary Bin
	Female Toilet. Manual door	800mm	Toilet seat height 400 from floor	5 x Cubicles 895 x1445 1 x accessible cubicle 970 x1460 Sanitary Bin
	Accessible Toilet. Manual door	900mm	Toilet seat height 400 Internal size: 1500mmW x 2000L	Grab Bar 540-700H Hand Dryer at 1030H Sanitary Bin Help Point
Changing room & Shower	Description	Internal Size (mm) (W x L)	Notes	Facilities
	Male Changing room with Shower. Manual door	6,150 x 10,335	No level access	3 x Shower room Dryer Benches Lockers 5 x Changing room 2 x Cubicles Sanitary Bin
	Female Changing room with Shower. Manual door	6,150 x 10,335	No level access	3 x Shower room Dryer Benches Lockers 5 x Changing room 1 x Cubicle Sanitary Bin



Sport & Active Wellness First Floor Accessibility Map



Sport & Active Wellness First Floor Accessibility Details

Lift	Description	Door width (mm)	Internal Size (mm) (W x L x H)		
8098	Single Door, 8 person capacity (630kg)	900	1,300	1,000	2,100
Corridor	Description				
Main Circulation	A corridor width of minimum 2,500mm is sufficient for accessibility requirements. This width would allow plenty of room for wheelchair users, people with other mobility aids, and caregivers to pass through comfortably. It also provides ample space for two people to walk side by side, which can be beneficial in busy or high-traffic areas.				



Sport & Active Wellness First Floor Accessibility Details

Door	Location	Description	Clearance space (mmW)
D12	Staircase	Single Swing Door	920
D13	Gym Entrance	Single Swing Door	920
D14	Gym Exit	Single Swing Door	920
D15	Corridor	Single Swing Door	850
D16	Corridor	Single Swing Door	850
D17	To Running Track	Single Swing Door	850
D18	To Viewing Area	Single Swing Door	825
D19	To Movement science Laboratory	Double Swing Door	1,375
D20	Corridor	Single Swing Door	760
D21	To Office	Single Swing Door	760



Sport & Active Wellness First Floor Accessibility Details

Toilets	Description	Door width (mm)	Notes	Facilities (mm)
	Gender-Neutral Toilet Manual door	930mm	Toilet seat height 400 from floor	1 x Cubicles 1075 x 1500 Sink Dryer Sanitary Bin
Changing room & Shower	Description	Internal Size (mm) (W x L)	Notes	Facilities
	Gender-Neutral Shower Manual door	2,070 x 2,000	No level access	Shower head Toilet Dryer Sanitary Bin

