

APPENDIX 1

BBW SPORT SPECIFICATIONS

01 American Football	02 Badminton	03 & 04 Basketball & Wheelchair Basketball
04 Football	06 Fencing	07 Hockey
08 Lacrosse	09 Netball	10 Rugby League
11 Rugby Union	12 Squash	13 Table Tennis
14 Tennis	15 Volleyball	16 Water Polo

01 AMERICAN FOOTBALL

FACILITY SPECIFICATION

- ▶ Facility must adhere to BAFA (British American Football Association) standards
- ▶ Field size: 120-yard (109.7m) long and 53.3-yard (48.8m) wide
- ▶ Floodlights

SPECTATOR REQUIREMENTS

- ▶ Minimum spectator capacity: 400
- ▶ Spectator barriers

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 2 x Goal posts – crossbar must sit 10 feet (3.05m) high, with uprights extending at least 20 feet (6.1m) above the crossbar
- ▶ 2 sets of sideline Yard Markers
- ▶ 12 x Endzone Pylons
- ▶ 1 x Side-line chains
- ▶ 1 x Down marker
- ▶ Electronic scoreboard with American Football scoring capabilities

02 BADMINTON

FACILITY SPECIFICATION

- ▶ Sprung wooden floor or soft synthetic flooring with dark walls
- ▶ Ideally badminton-only court markings
- ▶ A minimum of 3 courts but ideally 4 courts
- ▶ Regulation court size: 13.41m long x 6.10m wide
- ▶ Run off: 2m clear of baseline and 1.5m clear from side-lines
- ▶ Minimum height from the floor over the full court should be at least 9m

SPECTATOR REQUIREMENTS

- ▶ Minimum seating capacity: 60

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ Sunken posts on each court
- ▶ Nets on each court
- ▶ Flip style scoreboards, 1 per court

03 & 04 BASKETBALL & WHEELCHAIR BASKETBALL

NOTE *It is preferred that both sports are played within the same facility*

FACILITY SPECIFICATION

- ▶ The official court size is 28m x 15m
- ▶ 24 second shot clock
- ▶ Run off 1–2m (2m is FIBA regulated)
- ▶ Sprung wooden floor with minimal line markings, or ability to install a wooden court
- ▶ Raised gantry area (or equivalent) to house streaming cameras

SPECTATOR REQUIREMENTS

- ▶ Minimum seated capacity: 250
- ▶ Tiered bleacher seating required

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 2 x full height baskets (10ft)
- ▶ Electronic scoreboard and shot clocks
- ▶ Courtside space to house table officials
- ▶ 4 x tables for table officials
- ▶ 8 x chairs for table officials
- ▶ 4 x chairs for subs
- ▶ Team benches x 24 people
- ▶ 1 x table and 2 x chairs for Referee Observers

05 FOOTBALL

FACILITY SPECIFICATION

- ▶ In relation to IFAB Law 1.3, the length of the touchlines shall be a maximum of 110 metres (or 120 yards), and the length of the goal lines a maximum of 75 metres (or 80 yards)
- ▶ Playing surface to be grass or a FIFA or Home Nation Football Association approved artificial surface
- ▶ Pitch to be roped or fenced off
- ▶ Recommended minimum run off 3m all around the pitch

SPECTATOR REQUIREMENTS

- ▶ Minimum capacity (seated or standing): 250

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 2 x Goals and nets
- ▶ 4 x Corner flags and poles
- ▶ 2 x Team dug outs (sheltered)
- ▶ Electronic scoreboard and controls
- ▶ Floodlights

06 FENCING

FACILITY SPECIFICATION

- ▶ 250 square metre space
- ▶ 1.5m–2m space either side of pistes
- ▶ Space a minimum of 25m long

SPECTATOR REQUIREMENTS

- ▶ Minimum seating capacity: 30

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ Desirable: 2 x pistes and associated equipment

07 HOCKEY

FACILITY SPECIFICATION

- ▶ Synthetic turf pitch, in line with Hockey National Governing Body requirements
- ▶ Flood lighting: recommended 350 lux minimum
- ▶ 2 pitches required to facilitate all fixtures on one day

SPECTATOR REQUIREMENTS

- ▶ Minimum standing capacity: 500

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 2 x Goals and nets
- ▶ 4 x Corner flags and poles (desirable)
- ▶ 1 x Officials dug out (sheltered)
- ▶ 2 x Team dug outs (sheltered)
- ▶ Power supply
- ▶ Electronic scoreboard and controls
- ▶ Floodlights
- ▶ PA system

08 LACROSSE

FACILITY SPECIFICATION

- ▶ 3G pitch with the following field dimensions: 91–110m long and 50–60m wide, with unified markings, including team box & substitution area markings
- ▶ Minimum clear run off space around pitch = 2m

SPECTATOR REQUIREMENTS

- ▶ Minimum standing capacity: 200
- ▶ Standing area to be behind a barrier to the pitch

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 2 x Goals and nets
- ▶ Electronic scoreboard and controls
- ▶ Team benches / dug outs
- ▶ Score table area: 1 x Gazebo, 2 x tables, 8 x chairs

09 NETBALL

FACILITY SPECIFICATION

- ▶ Sprung wooden indoor court with a minimum run off of 1.5m wide, 2m at end of the court
- ▶ Ability to lay a full size netball tara flex court

SPECTATOR REQUIREMENTS

- ▶ Minimum seated capacity: 250
- ▶ Tiered bleacher seating required

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 2 x Regulation posts and nets (sunken or floor fixed)
- ▶ Electronic scoreboard and controls
- ▶ Team benches / chairs
- ▶ 2 x static bikes

10 RUGBY LEAGUE

FACILITY SPECIFICATION

- ▶ Full size pitch marked for Rugby League with full size posts and sufficiently roped or fenced off for spectators

SPECTATOR REQUIREMENTS

- ▶ Minimum standing capacity: 200

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 1 x set of corner flags, poles, post protectors and flag pole protectors
- ▶ Metre markers (desirable)
- ▶ Floodlights
- ▶ Electronic scoreboard
- ▶ 2 x sheltered dugouts

11 RUGBY UNION

FACILITY SPECIFICATION

- ▶ 2 x full sized pitches marked for Rugby Union in compliance with World Rugby Regulation 22
- ▶ 3m roped off for spectators

SPECTATOR REQUIREMENTS

- ▶ Minimum standing capacity: 200

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 2 x set full sized posts
- ▶ 4 x post protectors per pitch
- ▶ 2 x set corner flag poles
- ▶ 2 x set flags and flag pole protectors
- ▶ 2 x Electronic scoreboard
- ▶ 2 x sheltered dugouts per pitch

12 SQUASH

FACILITY SPECIFICATION

- ▶ Minimum of 4 specification squash courts (glass backed)
- ▶ Matches to be played on a standard 19-inch tin height, unless agreed between both players in advance of their match to play on a 17-inch tin, only where facility logistics allow

SPECTATOR REQUIREMENTS

- ▶ Minimum capacity: 30 (seated or standing)

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ Desirable: use of performance analysis cameras to be made available

13 TABLE TENNIS

FACILITY SPECIFICATION

- ▶ Minimum space of sports hall with 4 badminton courts
- ▶ Sprung wooden floor
- ▶ Minimum 500 lux lighting

SPECTATOR REQUIREMENTS

- ▶ Minimum seated capacity: 60

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 4 x practice table tennis tables
- ▶ Table tennis barriers made readily available

14 TENNIS

FACILITY SPECIFICATION

- ▶ Recognised ITF court surface
- ▶ Minimum of 8 courts

SPECTATOR REQUIREMENTS

- ▶ Minimum seated capacity: 60

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 8 x nets
- ▶ 8 x tennis scoreboards
- ▶ 1 x net measurer
- ▶ 16 x singles sticks
- ▶ 8 x umpire chairs (may be provided by the LTA if required)
- ▶ 1 x net winder

15 VOLLEYBALL

FACILITY SPECIFICATION

- ▶ Court size: 18m x 9m surrounded by a freezone which is a minimum of 3m wide
- ▶ Free playing space: 7.5m
- ▶ Ability and space to lay a tara flex floor if desired
- ▶ Space courtside / gantry to house live streaming cameras

SPECTATOR REQUIREMENTS

- ▶ Minimum seated capacity: 200

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 1 x Referee stand
- ▶ 2 x posts (freestanding or sunken)
- ▶ 2 x net posts drop socket & protectors
- ▶ 2 x nets
- ▶ 3 x aerials
- ▶ 1 x volleyball net measurer
- ▶ 1 x flip scoreboard
- ▶ 2 x Team benches
- ▶ Electronic scoreboard

16 WATER POLO

FACILITY SPECIFICATION

- ▶ Width: no less than 10m and not more than 20m
- ▶ Floating goals: goal lines not less than 20m, not more than 25m
- ▶ Wall mounted goals: not exceed 25m in length, not less than 20m in length
- ▶ Water depth: consistently not less than 1.8m

SPECTATOR REQUIREMENTS

- ▶ Minimum seated capacity: 80

MINIMUM EQUIPMENT REQUIREMENTS

- ▶ 2 x goals — must be white; front facing dimensions of 0.075m; 3m between the inner sides of the goal posts; 0.90m from the water surface to the underside of the crossbar
- ▶ 2 x goal nets — securely attached to the goal posts and crossbar
- ▶ Floating goals: at least 0.30m of clear space behind the goal line throughout the goal area
- ▶ Wall-mounted goals: goal space at least 0.4572m deep, no obstructions within the goal space, loosely attached backing to enclose the goal area
- ▶ Possession / shot clocks